

Notes on this assignment

- All problems are to be turned in electronically through the web tester. See the Assignment 2 information page for details.
- There will be two files for this assignment on the assignment information page:
 - `assign2.scm` — a file of stubs for the procedures you must write. (You may also create “helper procedures” for any problem; these can have any name you wish so long as you don’t create two procedures with the same name or redefine support code procedures.)
 - `a2code.scm` — containing support code

Recursion problems

Several of the problems references exercises in the Scheme III handout.

1. (6 points) Write a recursive procedure (`odd-numbers j k`) where j and k are integers such that $j \leq k$. It should return a list of the odd integers (in increasing order) from j to k inclusive. For example:

```
> (odd-numbers 2 11)
;Value: (3 5 7 9 11)
> (odd-numbers -3 -2)
;Value: (-3)
```

2. (6 points) Section 9.5, Exercise 10 [`all-greater`]
3. (8 points) Section 9.5, Exercise 4 [`sum-adjacent-elements`]
4. (8 points) Section 9.5, Exercise 5 [`pascal-row`]
5. (8 points) Section 9.5, Exercise 16 [`flatten`]
6. (8 points) Write a procedure (`corresponding-min values Lst`) where `values` and `Lst` are lists of the same length. `values` must be a list of numbers (which may be exact, inexact, or a mix), but `Lst` can have any kind of elements. This procedure should return the element of `Lst` that corresponds to the element of `values` that is the smallest number in the `values` list.

```
> (corresponding-min '(3.5 7 2 9.6)
                    '(red blue green yellow))
;Value: green
```

There are several ways to do this problem. If you choose to use the `member` procedure (described in Section 7.2.4), then be sure to read about equality predicates and inexact numbers in Sections 7.2.2 and 7.2.3.

Sliding block puzzle problems

In Assignment 3, we will be solving “sliding block puzzles.” The procedures you write in these exercises will be used in that assignment.


A well-known example of a sliding block puzzle is the 8-puzzle, which consists of a 3×3 grid with one empty cell and a block in all other cells; you can slide one of the horizontally or vertically adjacent blocks into the empty cell. The goal is to rearrange the blocks into a given order. For example:

D	A	F
H	C	B
G	E	

→

A	B	C
D	E	F
G	H	

We, however, will be using a more general class of sliding block puzzles with different sized rectangular and L-shaped blocks on an arbitrary sized rectangular grid of cells. Below (on the left) is a picture of `example-1` from the support code.





```
((A A empty B C)
 (A A empty B D)
 (E F F empty G)
 (E empty G G G))
```

The L-shaped blocks can have any orientation or size. You can think of them as the union of two rectangular blocks that share one corner. The key assumption about these blocks is that in any row or column, the cells that belong to that block are in contiguous cells. See the support code file for more examples.

An example of the Scheme representation we will use for sliding block puzzle states, is shown on the right above. This is a list containing one element for each row. Each row is represented by a list with one element for each cell. If the cell is empty, that element is the symbol `empty`. If the cell is occupied by a block, then the element is the name of the block (a single-character symbol). You can assume that each block has a unique name.

Here are two more sliding block puzzle states, `example-a` and `example-b` from the support code:



These are used in the example output for the problems in this section.

In the following problems, you may assume that a sliding block puzzle is at least 2 by 2 cells but may otherwise be any arbitrary size. To help you visualize a puzzle from its Scheme representation, I am providing a procedure in the support code (`print-sbp s`) which will print a puzzle `s`.

- (10 points) Write the procedure (`valid-right? sbp block`) which takes a sliding block puzzle state and the name of a block. It should return `#t` if that block can be moved 1 cell to the right and `#f` otherwise. For example:

```
> (valid-right? example-1 'a)
;Value: #t
> (valid-right? example-b 'b)
;Value: #f
```

Recall that in MIT/GNU Scheme, `#f` and `()` are considered the same. (Actually, MIT/GNU Scheme will print the latter, but I use `#f` to emphasize that it's a boolean return value.)

8. (10 points) Write the procedure `(empty:right-neighbors sbp)` that takes a sliding block puzzle as an argument. It should return a list of the blocks that are on the immediate right of an empty cell in any row. There should be no duplicates in the list that you return. For example:

```
> (empty:right-neighbors example-1)
;Value: (b g)
> (empty:right-neighbors example-a)
;Value: (g h j)
> (empty:right-neighbors example-b)
;Value: (b e)
```

The order of the elements in the list you return is not important.

9. (8 points) Write the procedure `(block-distance sbp-a sbp-b block)` which takes two sliding block puzzle states and the name of a block. It should return a list of the form: `(row-dist col-dist)` that indicate the distance in rows and columns (separately) of the given block from `sbp-a` to `sbp-b`. (The list returned should contain two nonnegative integers.) For example:

```
> (block-distance example-a example-b 'c)
;Value: (0 3)
> (block-distance example-a example-b 'h)
;Value: (3 1)
> (block-distance example-a example-b 'j)
;Value: (0 0)
```

One way to think of this is to pick any “reference” cell on the block and use it to measure the row and column distances.