

CSCI-1200 Computer Science II — Fall 2006

Lab 3 — C++ Classes

Overview

This lab explores defining a relatively simple C++ class. Having the notes from Lectures 4 & 5 handy, especially the example of the `Date` class, will make this lab **much** easier. Still, there's a lot to do in this lab, so please work efficiently.

The class you will implement is called `Time`. It represents all possible times in a 24-hour period, including hours, minutes and seconds. An immediate representation issue is how to handle morning (am) and afternoon (pm) times. We could have a separate `bool` indicating whether the time is am or pm. It is easier, however, to represent the hours in *military time*. This means that the hours of the day are numbered from 0 to 23, with 13 being 1 pm, 14 being 2 pm, etc.

Checkpoint 1

In the first checkpoint you will get started by implementing the initial class design, several member functions, and a “driver” main program. The instructions below are specific to Visual Studio, but as usual you may use any C++ development environment.

1. Create a new project. Eventually you will create three files within the project. These files will be called `time.h`, `time.cpp` and `time_main.cpp`.
2. Begin work on `time.h`. Create this file by selecting the “Add New Item...” option in the Project Menu (or use Ctrl+Shift+A). Select which type of new file you want to add (in this case a *header file*) and give it the name `time`. You do not need to include the extension (in this case `.h`) in the name because it will be added for you. Adding the extension though will have the same effect. (Aside: when there is more than one project in the Solution you need to make sure that the correct project is highlighted in the Solution Explorer before carrying out the above.) Now click OK. Within the file, declare a class called `Time`. Follow the form and syntax of the `Date` class which was distributed during lecture. Read the syntax carefully (such as the semi-colon at the end of the class declaration). Add private member variables for the `hour`, `minute` and `second`. In the public area of the class, declare two constructors: one, the default constructor, should initialize each of the member variables to 0; the other, having three arguments, accepts initial values for the hour, minute and second as function call arguments. Declare member functions to access the values of the hour, the minute and the second (three different member functions). It will be crucial for checkpoint 3 to make these `const`. (Recall: a `const` member function can not change the member variables.)
3. Switch to working on `time_main.cpp`. Create a new file within your project, as above. Be sure to add code to `#include` the `time.h` header file in addition to including `iostream`. (Warning: the syntax is different — see the `Date` example.) Have the main program create two `Time` objects, one using each constructor. Show use of the functions that access the values of hour, minute and second by printing the two times.
4. Switch to working on `time.cpp`. Create a new file within your project as above. Don't forget to add the line to `#include time.h`. Implement the constructors and member functions.
5. Now, compile your program and remove errors. Here's where the difference between compiling and linking matters. You can compile each of the two `.cpp` files individually (the `.h` file isn't compiled separately) by typing Ctrl-F7 when the pane containing that file is active. This will allow you to see and remove compiler errors for each file individually. (Note that errors caused by the code in the `.h` file, `time.h` will appear when compiling either `.cpp` file.) You can also compile and link multiple files

at once using Build/Build project name. You will have to do this even after compiling each .cpp file individually because the Ctrl-F7 command does not link to create an executable program.

To complete this checkpoint, show a TA your debugged program.

Checkpoint 2

Create and test a few more member functions. This will require modifications to all three of your files.

- Add `setHour`, `setMinute`, and `setSecond` member functions. Each should take a single integer argument and change the appropriate member variable. For now, don't worry about illegal values of these variables (such as setting the hour to 25 or the minute to -15). Assume whoever calls the functions does the right thing. In general, this is a bad assumption, but we will not worry about it here.
- Add a `PrintAmPm` member function that prints time in terms of am or pm, so that 13:24:39 would be output as 1:24:39 pm. This member function should have no arguments. Note that this requires some care so that 5 minutes and 4 seconds after 2 in the afternoon is output as 2:05:04 pm. To do this, simply note that if the minute is less than 10 you will need to add the character '0' to the output. The same is true for seconds. The output should be to `cout`.

To complete this checkpoint, show a TA your new member functions and *most importantly!* how you tested them.