

Soft Computing

Matlab Tutorial

Kai Goebel, Bill Cheetham
RPI/GE CRD
goebel@cs.rpi.edu
cheetham@cs.rpi.edu

1

Soft Computing

matlab

Start up: type "matlab"

Features:

- matrix manipulation is made easy (data will be represented in matrices)
- plotting is made very easy
- suitable for quick prototyping

2

Soft Computing

Matlab is installed on the RCS machines

1: log into an RCS account
or 2: "attach" to the RCS AFS directory structure
/usr/afsws/bin/klog <user-id-on-RCS>
provide the appropriate RCS password.
From that point, all software available on the RCS system should be available on the local machine.
Note: this attachment needs only be performed once per login session (not for every command shell opened)

3

Soft Computing

matlab tutorial

- calculations
- assignment of variables
- manipulations of variables

```
>> 1+1
ans =
    2
>> a=1
a =
    1
>> b=2
b =
    2
>> a+b
ans =
    3
```

4

Soft Computing

matlab tutorial (2)

- vectors
- manipulation of vectors (addition)
- column vector
- transpose of vectors

```
>> c=[1 2 3]
c =
    1    2    3
>> d=[4,5,6]
d =
    4    5    6
>> c+d
ans =
    5    7    9
>> e=[7;8;9]
e =
    7
    8
    9
>> e'
ans =
    7    8    9
```

5

Soft Computing

matlab (3)

- vector multiplication
- dot product
- caveat: check inner dimensions before operation

```
>> d*e
ans =
   122
>> e*d
ans =
    28    35    42
    32    40    48
    36    45    54
>> c.*d
ans =
    4    10    18
>> c*d
??? Error using ==> *
Inner matrix dimensions must agree.
```

6

Soft Computing

matlab (4)

- creating matrices from existing ones
- subtracting a constant value from vectors
- accessing particular matrix elements

```

>> f=fmagic(3,3,3)
f =
    28    35    42
    32    40    48
    36    45    54
     1     2     3
     5     6     7

>> g=g-8
g =
    -1     0     1
     0     0     0
     1     2     3

>> h=g*5
h =
    -5    -2     3
     0     0     0
     5     6     9

>> h(2,3)=4
h =
    -5    -2     3
     0     0     4
     5     6     9

```

Soft Computing

matlab (5)

- inverting matrices
- matrix power of 2
- square root of a matrix

```

>> h(1,2)=5
h =
    -1    -5    -3
     0     0     4
     1     2     3

>> inv(h)
ans =
    0.6867   -0.7500    1.6867
   -0.3533     0   -0.3533
     0    0.2500     0

>> h^2
ans =
    -2    -1   -26
     4     8    12
     2     1    14

>> sqrt(h)
ans =
     0 + 1.0000i     0 + 2.2361i     0 + 1.7321i
     0              0              2.0000
    1.0000         1.4142         1.7321

```

Soft Computing

Matlab (6)

Initializing vectors and matrices

- known length
- unknown length

```

>> my_vector=zeros(1,3)
my_vector =
     0     0     0

>> my_matrix=zeros(2,3)
my_matrix =
     0     0     0
     0     0     0

>> my_vector=[]
my_vector =
     []

>> my_vector=[my_vector,1]
my_vector =
     1

>> my_vector=[my_vector,2]
my_vector =
     1     2

```

Soft Computing

matlab (7)

- checking your variables
- variables are stored until reassigned or when program is terminated
- IF THEN ELSE statements

```

>> who
Your variables are:
a      b      d      f      h
ans    c      e      g

>> a
a =
     1

>> b
b =
     2

>> if ans==3
b=3;
else
b=4;
end
>> b
b =
     4

```

Soft Computing

matlab (8)

- FOR loops
- WHILE loops (also note use of "<")
- negation, OR, AND operators (also note prompt)

```

>> for i=1:5
    p(i)=i-2;
end
>> p
p =
    -1     0     1     2     3

>> i=0;
>> while i<2
    p(i+1)=p(i)+1;
    i=i+1;
end
>> p
p =
     0     1     1     2     3

>> if (p(1)~=2) | ((p(2)<2) & (p(3)==1))
    'that is true'
else
    'that is not true'
end
ans =
    that is true

```

Soft Computing

matlab (9)

- plotting data
- labeling axis
- adding title
- resizing data range

```

>> plot(p)
>> xlabel('sample')
>> ylabel('p')
>> title('this is a plot of p')
>> axis([1 5 0 3])
>>


```

Soft Computing

Matlab (10)

Plotting one vector vs. the other
...using different markers
...and adding a legend

```
a=[0 1 2 3];
b=[1 2 4 5 6];
c=[5 4 3 2 1];
plot(b,a,'-s')
hold on
plot(b,c,'-og')
legend('data a','data c')
```




13

Soft Computing

matlab (11)

- 3-D plots
- arrange viewing direction

```
>> mesh(F)
>> view(-120,30)
```




14

Soft Computing

matlab (12)

- save larger operations in text file
- invoke by typing filename without extension

```
clear
for i=0:0.1:1
    for j=0:0.1:1
        x(1+10*i,2+10*j)=sqrt(1+2*j^2);
    end
end
mesh(x)
xlabel('j')
ylabel('i')
zlabel('sqrt(1+2*j^2)');
```



>> ka

15

Soft Computing

Matlab (13)

- using functions in different files
for example:
main function in create_vector.m
subroutine in manipulate.m

```
clear
number_data=5;
my_vector=zeros(1,number_data);
my_vector=manipulate(my_vector)
```

```
function changed_vector=manipulate(changed_vector)
for i=1:length(changed_vector)
    changed_vector(i)=1/i;
end
```

```
create_vector
my_vector =
    1    0.2000    0.3333    0.2500    0.1667
```


16

Soft Computing

matlab (14)

- load and save data files
- use of system commands from within matlab
- print plots to file (or to printer)

```
>> load iris.dat
>> plot(iris)
>> save ka\iris.dat iris -ascii
iris.dat
ka\iris.dat
>> print -deps ka\plot
>> ls *.eps
>> ka\plot.eps
```



17

Soft Computing

matlab (15)

- HELP!

```
>> help mesh
```

MESH 3-D mesh surface.
MESH(X,Y,Z,C) plots the colored parametric mesh defined by four matrix arguments. The view point is specified by VIEW. The axis labels are determined by the range of X, Y and Z, or by the current setting of AXIS. The color scaling is determined by the range of C, or by the current setting of CAXIS. The scaled color values are used as indices into the current COLORMAP.
MESH(X,Y,Z) uses C = Z, so color is proportional to mesh height.
MESH(X,Y,Z) and MESH(X,Y,Z,C), with two vector arguments replacing the first two matrix arguments, must have length(X) = n and length(Y) = m where [n,m] = size(Z). In this case, the vertices of the mesh lines are the triples (x(i), y(j), Z(i,j)). Note that x corresponds to the columns of Z and y corresponds to the rows.
MESH(Z) and MESH(Z,C) use x = 1:n and y = 1:m. In this case, the height, Z, is a single-valued function, defined over a geometrically rectangular grid.
MESH returns a handle to a SURFACE object.
AXIS, CAXIS, COLORMAP, HOLD, SHADING and VIEW set figure, axes, and surface properties which affect the display of the mesh.
See also SURF, MESHZ, MESHZ, WATERFALL.

18

Soft Computing

matlab (16)

Look for commands relating to a keyword

h lookfor mesh

MESHGRID Generate X and Y arrays for 3-D plots.

MESHGRID2 X and Y arrays for 3-D plots.

OUTONESH true if the inputs should be automatically meshgridded.

UNMESH Convert a list of hedges to a graph or matrix.

HIDDEN Mesh hidden line removal mode.

MESH 3-D mesh surface.

EZMESH Easy to use 3-D mesh plotter.

EZMESH2 Easy to use combination mesh/contour plotter.

MESH2D Combination mesh/contour plot.

MESHZ 3-D mesh with curtain.

TRIMESH Triangular mesh plot.

HIGHLIGHT Plot a mesh with subgraph highlighted.

SEPDEMO Orderings and separators for a finite element mesh.

h

19