

Monte-Carlo, Sampling, Aliasing, & Mipmaps

The Parthenon, 2004



Paul Debevec et al.





The Parthenon, 2004



Paul Debevec et al.

Last Time?

- Path Tracing vs. Ray Tracing
- Irradiance Caching
- Photon Mapping
- Ray Grammar




Today

- **Worksheet for Today**
- Papers for Today
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- Sampling & Reconstruction
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday

Monte Carlo Ray Tracing

- Cast a ray from the eye through each pixel
- **Cast random rays to accumulate radiance contribution**
 - **Recurse to solve the Rendering Equation**




Sample the full hemisphere of incoming light for every surface (diffuse materials too!)

Note: Always sample the primary light


Irradiance Cache

- The indirect illumination is smooth
- Store the indirect illumination




Irradiance Cache

- Interpolate nearby cached values
- But do full calculation for direct lighting




Irradiance Cache




Photon Mapping

- Preprocess: cast rays from light sources
 - independent of viewpoint




Photon Mapping

- Store photons
 - position + light power + incoming direction




Storing the Photon Map

- Efficiently store photons for fast access
- Use hierarchical spatial structure (kd-tree)




Rendering with Photon Map

- Cast primary rays
- For secondary rays: reconstruct irradiance using k closest photons
- Combine with irradiance caching and other techniques




Photon Map Results




Closest Photon Details

- Find the tightest sphere that captures k photons
 - NOTE: HW3 code gives you all photons that *might* be in the query bounding box (you need to test for exact box and/or exact sphere)
- Divide the energy from those photons by the surface area covered by that sphere
- What about thin surfaces, concave corners, & convex corners?



Photons in the k-d tree details



- You start with a query point & radius (red circle)
- `KDTree::CollectPhotonsInBox`
 - Input: a bounding box (yellow)
 - Finds all k-d tree cells (blue) that overlap with the bounding box
 - Returns all photons in those cells
- **You must discard all photons not in your original query radius**
- *Should it return only return the photons in the yellow box? Why not?*

Today

- Worksheet for Today
- **Papers for Today**
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- Sampling & Reconstruction
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday

Readings for Today: *(pick one)*

“Correlated Multi-Jittered Sampling”,
Andrew Kensler, Pixar Technical Memo, 2013




Figure 1: The canonical arrangement. Heavy lines show the boundaries of the 2D jitter cells. Light lines show the horizontal and vertical substrata of N-rooks sampling. Samples are jittered within the subcells.




Figure 3: With correlated shuffling.




Figure 9: Polar warp with $m = 22$, $n = 7$.

⁹G. J. Ward and P. S. Heckbert. Irradiance gradients. In *Third Eurographics Rendering Workshop*, pages 85–98, May 1992.

Readings for Today: *(pick one)*

“Implicit Visibility and Antiradiance for Interactive Global Illumination”

Dachsbacher,
Stamminger,
Drettakis, and
Durand
Siggraph 2007




Today

- Worksheet for Today
- Papers for Today
- **Monte-Carlo Integration**
 - **Probabilities and Variance, Analysis**
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- Sampling & Reconstruction
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday

Monte-Carlo Computation of π

- Take a random point (x,y) in unit square
- Test if it is inside the $\frac{1}{4}$ disc
 - Is $x^2 + y^2 < 1$?
- Probability of being inside disc?
 - area of $\frac{1}{4}$ unit circle / area of unit square
 - = $\pi / 4$




$$16/21 = 0.7619 \approx \pi / 4 = 0.7854$$
$$\pi \approx 3.1416$$

- $\pi \approx 4 * \text{number inside disc} / \text{total number}$
- The error depends on the number of trials




Use MC to calculate Form Factor

- Cast n rays between the two patches
 - Compute visibility (what fraction of rays do not hit an occluder)
 - Integrate the point-to-point form factor
- Permits the computation of the patch-to-patch form factor, as opposed to point-to-patch






MC for Distributed Ray Tracing

- multiple shadow rays to sample area light source



Domains of Integration


- Pixel, lens (Euclidean 2D domain)
- Time (1D)
- Hemisphere: Work needed to ensure *uniform* probability




Example: Light Source

- We can integrate over surface *or* over angle
- But we must be careful to get probabilities and integration measure right!
 - It might require re-weighting/normalizing samples

Sampling the source uniformly



Sampling the hemisphere uniformly



Convergence & Error

- Let's "compute 0.5" by flipping a coin:
 - 1 flip: 0 or 1
 - average error = 0.5
 - 2 flips: 0, 0.5, 0.5 or 1
 - average error = 0.25
 - 4 flips: 0 (*1), 0.25 (*4), 0.5 (*6), 0.75(*4), 1(*1)
 - average error = 0.1875
- Unfortunately, doubling the number of samples does not double accuracy

Monte Carlo Integration

- Turn integral into finite sum
- Use n random samples
- As n increases...
 - Expected value remains the same
 - Variance decreases by n
 - Standard deviation (error) decreases by $\frac{1}{\sqrt{n}}$
- Thus, converges with $\frac{1}{\sqrt{n}}$

Advantages of MC Integration

- Few restrictions on the integrand
 - Doesn't need to be continuous, smooth, ...
 - Only need to be able to evaluate at a point
- Extends to high-dimensional problems
 - Same convergence
- Conceptually straightforward
- Efficient for solving at just a few points

Disadvantages of MC Integration


- Noisy
- Slow convergence
- Good implementation is hard
 - Debugging code
 - Debugging math
 - Choosing appropriate techniques
- Punctual technique, no notion of smoothness of function (e.g., between neighboring pixels)

Today


- Worksheet for Today
- Papers for Today
- Monte-Carlo Integration
- **Stratified Sampling & Importance Sampling**
- What is Aliasing?
- Sampling & Reconstruction
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday

Stratified Sampling

- With uniform sampling, we can get unlucky
 - E.g. all samples in a corner



- To prevent it, subdivide domain Ω into non-overlapping regions Ω_i
 - Each region is called a stratum



- Take one random samples per Ω_i

Stratified Sampling Example



$f(x) = e^{\sin(3x^2)}$		$f(x) = e^{\sin(3x^2)}$	
N	I	N	I
1	2.75039	1	2.70457
10	1.9893	10	1.72858
100	1.79139	100	1.77925
1000	1.75146	1000	1.77606
10000	1.77313	10000	1.77610
100000	1.77862	100000	1.77610

Unstratified
 $O(1/\sqrt{N})$

Stratified
 $O(1/N)$



Sampling Options

uniform sampling
(or uniform random)



all samples
weighted equally

dense sampling where
function has greater magnitude




weights (width) for dense
samples are reduced

Importance Sampling


$$\langle I \rangle = \frac{1}{N} \sum_{i=1}^N \frac{f(x_i)}{p(x_i)}$$

- Choose p wisely to reduce variance
 - Want to use a p that resembles f
 - Does not change convergence rate (still sqrt)
 - But decreases the constant




Uniform vs. Importance Sampling


$U(\omega_i)$



5 Samples/Pixel




$P(\omega_i)$




Slide from Jason Lawrence

Uniform vs. Importance Sampling



$U(\omega_i)$




25 Samples/Pixel



$P(\omega_i)$



Uniform vs. Importance Sampling



Bidirectional Path Tracing

- "A Theoretical Framework for Physically Based Rendering", Lafortune and Willems, Computer Graphics Forum, 1994.




Figure B: An indirectly illuminated scene rendered using path tracing and bidirectional path tracing respectively. The latter method results in visibly less noise for the same amount of work.

Questions?



Naïve sampling strategy



Optimal sampling strategy



Veach & Guibas "Optimally Combining Sampling Techniques for Monte Carlo Rendering" SIGGRAPH 95

Today

- Worksheet for Today
- Papers for Today
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- **What is Aliasing?**
- Sampling & Reconstruction
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday


What is a Pixel?

- A pixel is not:
 - a box
 - a disk
 - a teeny tiny little light
- A pixel “looks different” on different display devices
- A pixel is a sample
 - it has no dimension
 - it occupies no area
 - it cannot be seen
 - it has a coordinate
 - it has a value



How & What do we Sample?

- Most things in the real world are *continuous*, yet everything in a computer is *discrete*
- The process of mapping a continuous function to a discrete one is called *sampling*
- The process of mapping a continuous variable to a discrete one is called *quantization*
- To represent or render an image using a computer, we must both sample and quantize



An Image is a 2D Function

- An *ideal image* is a continuous function $I(x,y)$ of intensities.
- It can be plotted as a height field.
- In general an image cannot be represented as a continuous, analytic function.
- Instead we represent images as tabulated functions.
- How do we fill this table?



An image seen as a continuous 2D function



Sampling Grid

- We can generate the table values by multiplying the continuous image function by a sampling grid of Kronecker delta functions.

The definition of the 2-D Kronecker delta is:


$$\delta(x, y) = \begin{cases} 1, & (x, y) = (0, 0) \\ 0, & \text{otherwise} \end{cases}$$

And a 2-D sampling grid:

$$\sum_{j=0}^{h-1} \sum_{i=0}^{w-1} \delta(u-i, v-j)$$





Sampling grid maps continuous to discrete




Sampling an Image

- The result is a set of point samples, or pixels.

The same analysis can be applied to geometric objects:



Examples of Aliasing



Original Image


Samples

Reconstruction

- Aliasing occurs because of *sampling* and *reconstruction*


Examples of Aliasing

Jagged boundaries




Examples of Aliasing

Improperly rendered detail



Examples of Aliasing

Texture Errors




Today

- Worksheet for Today
- Papers for Today
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- **Sampling & Reconstruction**
 - ECSE Signals & Systems
 - Sampling Density, Fourier Analysis & Convolution
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday

Sampling Density


- If we insufficiently sample the signal, it may be mistaken for something simpler during reconstruction (that's aliasing!)

Image from Robert L. Cook,
"Stochastic Sampling and
Distributed Ray Tracing",
An Introduction to Ray Tracing,
Andrew Glassner, ed.,
Academic Press Limited, 1989.




Sampling Density

- Aliasing in 2D because of insufficient sampling density



Signals & Systems

- All periodic signals can be represented as a summation of sinusoidal waves.




It's a shame that Signals & Systems is not required for CSCI majors...

Images from
<http://axion.physics.ubc.ca/341-02/fourier/fourier.html>

Frequency Analysis

- Every periodic signal in the *spatial domain* has a dual in the *frequency domain*.



- This particular signal is *band-limited*, meaning it has no frequencies above some threshold

Fourier Transform

- We can transform from one domain to the other using the Fourier Transform.

frequency domain spatial domain

Fourier Transform \downarrow

$$F(u, v) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} f(x, y) e^{-i2\pi(ux+vy)} dx dy$$


Inverse Fourier Transform \uparrow

$$f(x, y) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} F(u, v) e^{i2\pi(ux+vy)} du dv$$

Convolution

Convolution describes how a system with impulse response, $h(x)$, reacts to a signal, $f(x)$.

$$f(x) * h(x) = \int_{-\infty}^{\infty} f(\lambda) h(x - \lambda) d\lambda$$



CS174 Fall 99 Lecture 7

Copyright © Mark Meyer

Images from Mark Meyer
<http://www.gg.caltech.edu/~cs174ta/>

Fourier Transform & Convolution


- Some operations that are difficult to compute in the spatial domain can be simplified by transforming to its dual representation in the frequency domain.
- For example, convolution in the spatial domain is the same as multiplication in the frequency domain.

$$f(x) * h(x) \rightarrow F(u)H(u)$$

- And, convolution in the frequency domain is the same as multiplication in the spatial domain


$$F(u) * H(u) \rightarrow f(x)h(x)$$

Sampling in the Frequency Domain




Reconstruction

- If we can extract a copy of the original signal from the frequency domain of the sampled signal, we can reconstruct the original signal!
- But there may be overlap between the copies.




Guaranteeing Proper Reconstruction

- Separate by removing high frequencies from the original signal (low pass pre-filtering)



- Separate by increasing the sampling density



- If we can't separate the copies, we will have overlapping frequency spectrum during reconstruction → *aliasing*.

Sampling Theorem



- When sampling a signal at discrete intervals, the sampling frequency must be *greater than twice* the highest frequency of the input signal in order to be able to reconstruct the original perfectly from the sampled version (Shannon, Nyquist)

Today


- Worksheet for Today
- Papers for Today
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- Sampling & Reconstruction
- **Filters in Computer Graphics**
 - Ideal, Gaussian, Box, Bilinear, Bicubic
- Anti-Aliasing for Texture Maps
- Papers for Tuesday

Filters

- Weighting function (convolution kernel)
- Area of influence often bigger than "pixel"
- Sum of weights = 1
 - Each sample contributes the same total to image
 - Constant brightness as object moves across the screen.
- No negative weights/colors (optional)



Source: Foley, VanDam, Feiner, Hughes - Computer Graphics, Second Edition.





Filters

- Filters are used to
 - reconstruct a continuous signal from a sampled signal (reconstruction filters)
 - band-limit continuous signals to avoid aliasing during sampling (low-pass filters)
- Desired frequency domain properties are the same for both types of filters
- Often, the same filters are used as reconstruction and low-pass filters


The Ideal Filter

- Unfortunately it has *infinite* spatial extent
 - Every sample contributes to every interpolated point
- Expensive/impossible to compute





Problems with Practical Filters

- Many visible artifacts in re-sampled images are caused by poor reconstruction filters
- Excessive pass-band attenuation results in blurry images
- Excessive high-frequency leakage causes "ringing" and can accentuate the sampling grid (anisotropy)





Gaussian Filter

- This is what a CRT does for free!





Box Filter / Nearest Neighbor

- Pretending pixels are little squares.






Tent Filter / Bi-Linear Interpolation

- Simple to implement
- Reasonably smooth



Bi-Cubic Interpolation

- Begins to approximate the ideal spatial filter, the sinc function




Today

- Worksheet for Today
- Papers for Today
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- Sampling & Reconstruction
- Filters in Computer Graphics
- **Anti-Aliasing for Texture Maps**
 - Magnification & Minification, Mipmaps
- Papers for Tuesday


Sampling Texture Maps

- When texture mapping it is rare that the screen-space sampling density matches the sampling density of the texture.




64x64 pixels

Original Texture



Magnification for Display





Minification for Display

for which we must use a reconstruction filter

Linear Interpolation

- Tell OpenGL to use a tent filter instead of a box filter.
- Magnification looks better, but blurry
 - (texture is under-sampled for this resolution)




Spatial Filtering

- Remove the high frequencies which cause artifacts in texture minification.
- Compute a spatial integration over the extent of the pixel
- This is equivalent to convolving the texture with a filter kernel centered at the sample (i.e., pixel center)!
- Expensive to do during rasterization, but an approximation it can be precomputed



projected texture in image plane



box filter in texture plane

MIP Mapping


- Construct a pyramid of images that are pre-filtered and re-sampled at 1/2, 1/4, 1/8, etc., of the original image's sampling




- During rasterization we compute the index of the decimated image that is sampled at a rate closest to the density of our desired sampling rate
- MIP stands for *multum in parvo* which means *many in a small place*

MIP Mapping Example

- Thin lines may become disconnected / disappear




Nearest Neighbor




MIP Mapped (Bi-Linear)

MIP Mapping Example

- Small details may "pop" in and out of view




Nearest Neighbor



MIP Mapped (Bi-Linear)

Examples of Aliasing

Texture Errors




point sampling


mipmaps & linear interpolation

Storing MIP Maps

- Can be stored compactly
- Illustrates the 1/3 overhead of maintaining the MIP map




10-level mip map




Memory format of a mip map

Anisotropic MIP-Mapping

- What happens when the surface is tilted?




Nearest Neighbor



MIP Mapped (Bi-Linear)



Anisotropic MIP-Mapping



- Square MIP-map area is a bad approximation

Anisotropic MIP-Mapping

- We can use different mipmaps for the 2 directions
- Additional extensions can handle non axis-aligned views



Today

- Worksheet for Today
- Papers for Today
- Monte-Carlo Integration
- Stratified Sampling & Importance Sampling
- What is Aliasing?
- Sampling & Reconstruction
- Filters in Computer Graphics
- Anti-Aliasing for Texture Maps
- Papers for Tuesday