


# Curves & Surfaces



<https://www.moillusions.com/glass-water-optical-illusion/>

# One Line Bison, Tyler Foust, 2020



<https://www.tylerfoust.com/>

## One Line Bison, Tyler Foust, 2020




<https://www.tylerfoust.com/>

## Squaring the Circle, Troika, 2013




<http://troika.uk.com/work/troika-squaring-the-circle/>

## Squaring the Circle, Troika, 2013



## Herbstlaub



Oliver Vogel, Siggraph 2007

# Herbstlaub



Oliver Vogel, Siggraph 2007





## Last Time?

- Adjacency Data Structures

- Geometric & topologic information
- Dynamic allocation
- Efficiency of access

- Mesh Simplification

- edge collapse/vertex split
- geomorphs
- progressive transmission
- view-dependent refinement



# Today


---

- **Worksheet: Shortest Edge Collapse**
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- Limitations of Polygonal Models
- What's a Spline?
- Bézier Spline
- BSpline (NURBS)
- Extending to Surfaces & Paper for Friday

# Pop Worksheet!

---

- Perform a sequence of 3 edge collapses, one-at-a-time
- Always collapse the shortest edge that does not result in a zero area or “flipped”/upside-down triangle
- Replacement vertex should be at the midpoint of the edge



# Today

---

- Worksheet: Shortest Edge Collapse
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- Limitations of Polygonal Models
- What's a Spline?
- Bézier Spline
- BSpline (NURBS)
- Extending to Surfaces & Paper for Friday

## Reading for Today

---



- "Teddy: A Sketching Interface for 3D Freeform Design", Igarashi et al., SIGGRAPH 1999
- How do we represent objects that don't have flat polygonal faces & sharp corners? What are the right tools to design/construct digital models of blobby, round, or soft things? What makes a user interface intuitive, quick, and easy-to-use for beginners?

- Attention to UI, lowering the barrier to entry for novices
- Simple algorithm
- Limitation: does not work for non-spherical base shapes
- Challenge: making 3D shape with 2D input
- Tradeoff: simplicity vs. fully-featured modeling software
- “Direct manipulation” – draw contours on screen rather than typing numbers into boxes physically separated from visual result
- Has Teddy made an impact on modeling software? If not, why not?

### What NOT to write about the assigned reading:

- "There was a lot of math in the paper. Math is hard. I didn't understand the math."
- "This paper was published in the dark ages using slow computers. I wonder how fast it would be with a GPU."
- "The pictures were pretty. I liked watching the video."
- "Now that we have AI/ML, the results will be much better."

# Today


---

- Worksheet: Shortest Edge Collapse
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- **Limitations of Polygonal Models**
  - Interpolating Color & Normals in OpenGL
  - Some Modeling Tools & Definitions
- What's a Spline?
- Bézier Spline
- BSpline (NURBS)
- Extending to Surfaces & Paper for Friday

## Limitations of Polygonal Meshes

---




- Planar facets (& silhouettes)
- Fixed resolution
- Deformation is difficult
- No natural parameterization (for texture mapping)
- Incorrect collision detection
- Solid texturing problems






# Color & Normal Interpolation

- It's easy in OpenGL to specify different colors and/or normals at the vertices of triangles:
- Why is this useful?



## What is Gouraud Shading?


- Instead of shading with the normal of the triangle, we'll shade the vertices with *the average normal* and *interpolate the shaded color* across each face
  - This gives the *illusion of a smooth surface* with smoothly varying normals



- How do we compute Average Normals? Is it expensive??


# Phong Normal Interpolation (Not Phong Shading)

- *Interpolate the average vertex normals* across the face and compute *per-pixel shading*
  - Normals should be re-normalized (ensure length=1)





- Before shaders, per-pixel shading was not possible in hardware (Gouraud shading is actually a decent substitute!)


# Some Non-Polygonal Modeling Tools





Extrusion



Surface of Revolution



Spline Surfaces/Patches





Quadrics and other implicit polynomials

# Continuity definitions:

---

- $C^0$  continuous
  - curve/surface has no breaks/gaps/holes
- $G^1$  continuous
  - tangent at joint has same direction
- $C^1$  continuous
  - curve/surface derivative is continuous
  - tangent at joint has same direction *and* magnitude
- $C^n$  continuous
  - curve/surface through  $n^{\text{th}}$  derivative is continuous
  - important for shading



“Shape Optimization Using Reflection Lines”, Tosun et al., 2007

## Questions?

---

# Today


---

- Worksheet: Shortest Edge Collapse
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- Limitations of Polygonal Models
- **What's a Spline?**
  - Interpolation Curves vs. Approximation Curves
  - Linear Interpolation
- Bézier Spline
- BSpline (NURBS)
- Extending to Surfaces & Paper for Friday


## Definition: What's a Spline?

---

- Smooth curve defined by some control points
- Moving the control points changes the curve




Interpolation




Bézier (approximation)

BSpline  
(approximation)



# Interpolation Curves / Splines

---




[www.abm.org](http://www.abm.org)

## Interpolation Curves

---

- Curve is constrained to pass through all control points





- Given points  $P_0, P_1, \dots, P_n$ , find lowest degree polynomial which passes through the points

$$x(t) = a_{n-1}t^{n-1} + \dots + a_2t^2 + a_1t + a_0$$
$$y(t) = b_{n-1}t^{n-1} + \dots + b_2t^2 + b_1t + b_0$$

# Linear Interpolation

- Simplest "curve" between two points

$$Q(t) = (1-t)P_0 + tP_1$$





Spline Basis  
Functions

a.k.a.  
Blending  
Functions

$$Q(t) = \begin{pmatrix} Q_x(t) \\ Q_y(t) \\ Q_z(t) \end{pmatrix} = \begin{pmatrix} P_0 & P_1 \end{pmatrix} \begin{pmatrix} -1 & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t \\ 1 \end{pmatrix}$$


$Q(t) = \mathbf{GBT}(t) = \text{Geometry } \mathbf{G} \cdot \text{Spline Basis } \mathbf{B} \cdot \text{Power Basis } \mathbf{T}(t)$

# Interpolation vs. Approximation Curves



**Interpolation**

curve must pass  
through control points




**Approximation**

curve is influenced  
by control points


# Interpolation vs. Approximation Curves

---

- Interpolation Curve – over constrained → lots of (undesirable?) oscillations



- Approximation Curve – more reasonable?



## Questions?

---

# Today




---

- Worksheet: Shortest Edge Collapse
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- Limitations of Polygonal Models
- What's a Spline?
- **Bézier Spline**
- BSpline (NURBS)
- Extending to Surfaces & Paper for Friday

## Cubic Bézier Curve

---

- 4 control points
- Curve passes through first & last control point
- Curve is tangent at  $P_1$  to  $(P_2 - P_1)$  and at  $P_4$  to  $(P_4 - P_3)$




A Bézier curve is bounded by the convex hull of its control points.





# Cubic Bézier Curve

- de Casteljau's algorithm for constructing Bézier curves



# Cubic Bézier Curve




$$Q(t) = (1-t)^3 P_1 + 3t(1-t)^2 P_2 + 3t^2(1-t) P_3 + t^3 P_4$$

$$Q(t) = \mathbf{GBT}(t) \quad B_{\text{Bezier}} = \begin{pmatrix} -1 & 3 & -3 & 1 \\ 3 & -6 & 3 & 0 \\ -3 & 3 & 0 & 0 \\ 1 & 0 & 0 & 0 \end{pmatrix}$$

Bernstein  
Polynomials


→  $B_1(t) = (1-t)^3; B_2(t) = 3t(1-t)^2; B_3(t) = 3t^2(1-t); B_4(t) = t^3$

# Connecting Cubic Bézier Curves



- How can we guarantee  $C^0$  continuity?
- How can we guarantee  $G^1$  continuity?
- How can we guarantee  $C^1$  continuity?
- Can't guarantee higher  $C^2$  or higher continuity

# Connecting Cubic Bézier Curves



- Where is this curve
  - $C^0$  continuous?
  - $G^1$  continuous?
  - $C^1$  continuous?
- What's the relationship between:
  - the # of control points, and
  - the # of cubic Bézier subcurves?

# Higher-Order Bézier Curves

---

- > 4 control points
- Bernstein Polynomials as the basis functions

$$B_i^n(t) = \frac{n!}{i!(n-i)!} t^i (1-t)^{n-i}, \quad 0 \leq i \leq n$$

- Every control point affects the entire curve
  - Not simply a local effect
  - More difficult to control for modeling

## Questions?

---

# Today



---

- Worksheet: Shortest Edge Collapse
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- Limitations of Polygonal Models
- What's a Spline?
- Bézier Spline
- **BSpline (NURBS)**
- Extending to Surfaces & Paper for Friday

## Cubic BSplines

---



- $\geq 4$  control points
- Locally cubic
- Curve is not constrained to pass through any control points



A BSpline curve is also bounded by the convex hull of its control points.



# Cubic BSplines

- Iterative method for constructing BSplines



Shirley, Fundamentals of Computer Graphics

# Cubic BSplines




$$Q(t) = \frac{(1-t)^3}{6} P_{i-3} + \frac{3t^3 - 6t^2 + 4}{6} P_{i-2} + \frac{-3t^3 + 3t^2 + 3t + 1}{6} P_{i-1} + \frac{t^3}{6} P_i$$


$$Q(t) = \mathbf{GBT}(t) \quad B_{B-Spline} = \frac{1}{6} \begin{pmatrix} -1 & 3 & -3 & 1 \\ 3 & -6 & 0 & 4 \\ -3 & 3 & 3 & 1 \\ 1 & 0 & 0 & 0 \end{pmatrix}$$

# Connecting Cubic BSpline Curves

- Can be chained together
- Better control locally (windowing)




# Connecting Cubic BSpline Curves




- What's the relationship between
  - the # of control points, and
  - the # of cubic BSpline subcurves?


# BSpline Curve Control Points



Default BSpline



BSpline with  
Discontinuity




BSpline which  
passes through  
end points


Repeat interior  
control point

Repeat end points

# Bézier is not the same as BSpline



Bézier





BSpline



# Bézier is not the same as BSpline

- Relationship to the control points is different

Bézier





BSpline





# Converting between Bézier & BSpline

original control points as Bézier



new BSpline control points to match Bézier

new Bézier control points to match BSpline



original control points as BSpline



# Converting between Bézier & BSpline

---

Using the basis functions:

$$Q(t) = \mathbf{G}\mathbf{B}\mathbf{T}(t) = \text{Geometry } \mathbf{G} \cdot \text{Spline Basis } \mathbf{B} \cdot \text{Power Basis } \mathbf{T}(t)$$

$$\mathbf{G}_{\text{Bezier}} \cdot \mathbf{B}_{\text{Bezier}} \cdot \mathbf{T} = \mathbf{G}_{\text{BSpline}} \cdot \mathbf{B}_{\text{BSpline}} \cdot \mathbf{T}$$

$$\mathbf{G}_{\text{Bezier}} = \frac{\mathbf{G}_{\text{BSpline}} \cdot \mathbf{B}_{\text{BSpline}} \cdot \mathbf{T}}{\mathbf{B}_{\text{Bezier}} \cdot \mathbf{T}}$$

$$\mathbf{B}_{\text{Bezier}} = \begin{pmatrix} -1 & 3 & -3 & 1 \\ 3 & -6 & 3 & 0 \\ -3 & 3 & 0 & 0 \\ 1 & 0 & 0 & 0 \end{pmatrix} \quad \mathbf{B}_{\text{B-Spline}} = \frac{1}{6} \begin{pmatrix} -1 & 3 & -3 & 1 \\ 3 & -6 & 0 & 4 \\ -3 & 3 & 3 & 1 \\ 1 & 0 & 0 & 0 \end{pmatrix}$$


## NURBS (generalized BSplines)

---


- BSpline: uniform cubic BSpline
- NURBS: Non-Uniform Rational BSpline
  - non-uniform = different spacing between the blending functions, a.k.a. knots
  - rational = ratio of polynomials (instead of cubic)

# Neat Bézier Spline Trick

- A Bézier curve with 4 control points:
  - $P_0$   $P_1$   $P_2$   $P_3$
- Can be split into 2 new Bézier curves:
  - $P_0$   $P'_1$   $P'_2$   $P'_3$
  - $P'_3$   $P'_4$   $P'_5$   $P_3$



A Bézier curve is bounded by the convex hull of its control points.



## Today


- Worksheet: Shortest Edge Collapse
- Reading: “Teddy: A Sketching Interface for 3D Freeform Design”
- Limitations of Polygonal Models
- What's a Spline?
- Bézier Spline
- BSpline (NURBS)
- Extending to Surfaces & Paper for Friday

# Spline Surface via Tensor Product

- Of two vectors:

$$[a_1 \ a_2 \ a_3] \otimes [b_1 \ b_2 \ b_3 \ b_4] = \begin{bmatrix} a_1 b_1 & a_2 b_1 & a_3 b_1 \\ a_1 b_2 & a_2 b_2 & a_3 b_2 \\ a_1 b_3 & a_2 b_3 & a_3 b_3 \\ a_1 b_4 & a_2 b_4 & a_3 b_4 \end{bmatrix}$$


- Similarly, we can define a surface as the tensor product of two curves....



Farin, Curves and Surfaces for Computer Aided Geometric Design

# Bilinear Patch

Bi-lerp a (typically non-planar) quadrilateral





Notation:  $\mathbf{L}(P_1, P_2, \alpha) \equiv (1 - \alpha)P_1 + \alpha P_2$

$$Q(s, t) = \mathbf{L}(\mathbf{L}(P_1, P_2, t), \mathbf{L}(P_3, P_4, t), s)$$

# Bilinear Patch

- Smooth version of quadrilateral with non-planar vertices...



- But will this help us model smooth surfaces?
- Do we have control of the derivative at the edges?

# Ruled Surfaces in Art & Architecture

<http://www.bergenwood.no/wp-content/media/images/frozenmusic.jpg>

Chiras Iulia  
Astri Isabella  
Matiss Shteinerts



<http://www.lonelyplanetimages.com/images/399954>


Antoni Gaudi  
Children's School  
Barcelona

# Bicubic Bezier Patch


Notation:  $\mathbf{CB}(P_1, P_2, P_3, P_4, \alpha)$  is Bézier curve with control points  $P_i$  evaluated at  $\alpha$

Define “Tensor-product” Bézier surface


$$Q(s, t) = \mathbf{CB} \left( \begin{array}{l} \mathbf{CB}(P_{00}, P_{01}, P_{02}, P_{03}, t), \\ \mathbf{CB}(P_{10}, P_{11}, P_{12}, P_{13}, t), \\ \mathbf{CB}(P_{20}, P_{21}, P_{22}, P_{23}, t), \\ \mathbf{CB}(P_{30}, P_{31}, P_{32}, P_{33}, t), \\ s \end{array} \right)$$




# Editing Bicubic Bezier Patches



Curve Basis Functions




Surface Basis Functions



# Bicubic Bezier Patch Tessellation

---


- Given 16 control points and a tessellation resolution, we can create a triangle mesh



# Modeling with Bicubic Bezier Patches


---

- Original Teapot specified with Bezier Patches




- But it's not "watertight": it has intersecting surfaces at spout & handle, no bottom, a hole at the spout tip, a gap between lid & base

# Trimming Curves for Patches



Shirley, Fundamentals of Computer Graphics

# Spline-Based Modeling Headaches



# Questions?

---

- Bezier Patches?

or

- Triangle Mesh?




Henrik Wann Jensen

# Readings for Next Time *(pick one)*

---

- Hoppe et al., "Piecewise Smooth Surface Reconstruction" SIGGRAPH 1994

Triangle meshes  
*directly applies*  
to HW1!



- DeRose, Kass, & Truong, "Subdivision Surfaces in Character Animation", SIGGRAPH 1998

Quad Meshes  
*more common in artistic practice*  
*(e.g. Pixar's Geri's Game)*





# Homework 1:

---

Expectations for  
"Progress Posts"?

