



# Navier-Stokes & Flow Simulation

## Last Time?

- Implicit Surfaces
- Marching Cubes/Tetras
- Collision Detection & Response
- Conservative Bounding Regions



## Today

- Flow Simulations in Computer Graphics
  - water, smoke, viscous fluids
- Navier-Stokes Equations
  - incompressibility, conservation of mass
  - conservation of momentum & energy
- Fluid Representations
- Basic Algorithm
- Data Representation

## Flow Simulations in Graphics

- Random velocity fields
  - with averaging to get simple background motion
- Shallow water equations
  - height field only, can't represent crashing waves, etc.
- Full Navier-Stokes
  - *note: typically we ignore surface tension and focus on macroscopic behavior*

## Flow in a Voxel Grid

- conservation of mass:

$$\frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} + \frac{\partial w}{\partial z} = 0$$




Image from Foster & Metaxas, 1996

## Navier-Stokes Equations

- conservation of momentum:

$$\begin{aligned} \frac{\partial u}{\partial t} + \frac{\partial u^2}{\partial x} + \frac{\partial uv}{\partial y} + \frac{\partial uw}{\partial z} &= -\frac{\partial p}{\partial x} + g_x + \nu \left( \frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2} \right) \\ \frac{\partial v}{\partial t} + \frac{\partial vu}{\partial x} + \frac{\partial v^2}{\partial y} + \frac{\partial vw}{\partial z} &= -\frac{\partial p}{\partial y} + g_y + \nu \left( \frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} + \frac{\partial^2 v}{\partial z^2} \right) \\ \frac{\partial w}{\partial t} + \frac{\partial wu}{\partial x} + \frac{\partial wv}{\partial y} + \frac{\partial w^2}{\partial z} &= -\frac{\partial p}{\partial z} + g_z + \nu \left( \frac{\partial^2 w}{\partial x^2} + \frac{\partial^2 w}{\partial y^2} + \frac{\partial^2 w}{\partial z^2} \right) \end{aligned}$$

pressure (red arrow pointing down)      gravity (& other external forces) (red arrow pointing down)      viscosity (red arrow pointing down)

acceleration (under the first term of each equation)      Convection: internal movement in a fluid (e.g., caused by variation in density due to a transfer of heat) (under the second term of each equation)      drag (under the third term of each equation)

## Today

- Flow Simulations in Computer Graphics
- Navier-Stokes Equations
- **Fluid Representations**
- Basic Algorithm
- Data Representation

## Modeling the Water Surface


- Volume-of-fluid tracking
  - a scalar saying how “full” each cell is
- Particle In Cell (PIC)
  - the particles have mass
- Marker and Cell (MAC)
  - the particles don’t effect computation, just identify which cells the surface passes through
  - Harlow & Welch, “Numerical calculation of time-dependent viscous incompressible flow of fluid with free surface”, *The Physics of Fluids*, 1965.

## Comparing Representations


- How do we render the resulting surface?
- Are we guaranteed not to lose mass/volume? (is the simulation incompressible?)
- How is each affected by the grid resolution and timestep?
- Can we guarantee stability?

## Demos

- Nice Marker and Cell (MAC) videos at:




<http://panoramix.ift.uni.wroc.pl/~maq/eng/cfdthesis.php>



[http://mme.uwaterloo.ca/~fslieen/free\\_surface/free\\_surface.htm](http://mme.uwaterloo.ca/~fslieen/free_surface/free_surface.htm)

## Reading for Today

- “Realistic Animation of Liquids”, Foster & Metaxas, 1996




## Today

- Flow Simulations in Computer Graphics
- Navier-Stokes Equations
- Fluid Representations
- **Basic Algorithm**
- **Data Representation**

## Each Grid Cell Stores:

- Velocity at the cell faces (offset grid)
- Pressure
- List of particles





## Initialization

- Choose a voxel resolution
- Choose a particle density
- Create grid & place the particles
- Initialize pressure & velocity of each cell
- Set the viscosity & gravity
- Choose a timestep & go!

## At each Timestep:

- Identify which cells are Empty, Full, or on the Surface
- Compute new velocities
- Adjust the velocities to maintain an incompressible flow
- Move the particles
  - Interpolate the velocities at the faces
- Render the geometry and repeat!

## Empty, Surface & Full Cells



Images from Foster & Matasas, 1996

## At each Timestep:

- Identify which cells are Empty, Full, or on the Surface
- Compute new velocities
- Adjust the velocities to maintain an incompressible flow
- Move the particles
  - Interpolate the velocities at the faces
- Render the geometry and repeat!

## Compute New Velocities

$$\begin{aligned} \tilde{u}_{i+1/2,j,k} = & u_{i+1/2,j,k} + \delta t \{ (1/\delta x) [(u_{i,j,k})^2 - (u_{i+1,j,k})^2] \\ & + (1/\delta y) [(uv)_{i+1/2,j-1/2,k} - (uv)_{i+1/2,j+1/2,k}] \\ & + (1/\delta z) [(uw)_{i+1/2,j,k-1/2} - (uw)_{i+1/2,j,k+1/2}] + g_x \\ & + (1/\delta x) (p_{i,j,k} - p_{i+1,j,k}) + (\nu/\delta x^2) (u_{i+3/2,j,k} \\ & - 2u_{i+1/2,j,k} + u_{i-1/2,j,k}) + (\nu/\delta y^2) (u_{i+1/2,j+1,k} \\ & - 2u_{i+1/2,j,k} + u_{i+1/2,j-1,k}) + (\nu/\delta z^2) (u_{i+1/2,j,k+1} \\ & - 2u_{i+1/2,j,k} + u_{i+1/2,j,k-1}) \}, \end{aligned}$$

Note: some of these values are the average velocity within the cell rather than the velocity at a cell face

### At each Timestep:

- Identify which cells are Empty, Full, or on the Surface
- Compute new velocities
- **Adjust the velocities to maintain an incompressible flow**
- Move the particles
  - Interpolate the velocities at the faces
- Render the geometry and repeat!

### Adjusting the Velocities

- Calculate the *divergence* of the cell (the extra in/out flow)
- The divergence is used to update the *pressure* within the cell
- Adjust each face velocity uniformly to bring the divergence to zero
- Iterate across the entire grid until divergence is  $< \epsilon$





Image from Foster & Matasas, 1996

### Handling Boundaries with MAC



### At each Timestep:

- Identify which cells are Empty, Full, or on the Surface
- Compute new velocities
- Adjust the velocities to maintain an incompressible flow
- **Move the particles**
  - Interpolate the velocities at the faces
- Render the geometry and repeat!

### Velocity Interpolation






Image from Foster & Matasas, 1996

### Stable Fluids

- “Stable Fluids”, Jos Stam, SIGGRAPH 1999.




## Efficient Smoke Simulation



"Visual Simulation of Smoke"  
Fedkiw, Stam & Jensen  
SIGGRAPH 2001

## Solid/Liquid: Time-varying viscosity




"Melting and Flowing"  
Carlson, Mucha, Van Horn III & Turk  
Symposium on Computer Animation 2002



## Ron Fedkiw <http://physbam.stanford.edu/~fedkiw/>

- Enright, Marschner, & Fedkiw, "Animation and Rendering of Complex Water Surfaces", SIGGRAPH 2002.
- Guendelman, Selle, Losasso, & Fedkiw, "Coupling Water and Smoke to Thin Deformable and Rigid Shells", SIGGRAPH 2005.



## Reading for Tuesday 2/12:

- "Synthesis of Complex Dynamic Character Motion from Simple Animation", Liu & Popović, 2002.



- Post a comment or question on the LMS discussion by 10am on Tuesday 2/12